

	Type	Hits	Search Text	DBs
1	BRS	496860	(light emit\$6 diodes) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	242873	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	16936	(heat stake) or stake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	640837	lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	87	S2 and S4 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	63	S2 and S4 and S3 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	987	(inner lens) and (outer lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	8	S1 and S2 and S7 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	496040	lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1922755	housing or casing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	85303	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	29	S9 and S10 and lens and S3 and S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	8	S9 and S10 and S7 and S3 and S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	10771	((light emit\$6 diodes) or "LED") lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	26539	((light emit\$6 diodes) or "LED") with lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	26539	S14 or S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	10791	S14 or S15 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	80	S16 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	("2002/0196131").URPN.	USPAT
20	BRS	0	("2005/0083687").URPN.	USPAT
21	IS&R	2	((("6710363") or ("6402347"))).PN.	USPAT
22	BRS	11	("4495378" "5161059" "5301090" "5387961" "5740313" "5803575" "5803579" "5953053" "5997150" "6105869" "6151407").PN.	US-PGPUB; USPAT; USOCR
23	BRS	4	("6402347").URPN.	USPAT
24	BRS	713	(heat stake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	8	(heat stake) with lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	30	(heat stake) same lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	243097	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	31	S27 with S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
29	BRS	100	S27 same S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	243110	S26 or S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	30	S25 or S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	100	S28 or S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	496345	lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	20	S31 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	10	S32 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	27	S34 or S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	56	"362"/\$.ccls. and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	38	"361"/\$.ccls. and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	94	S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	16	("2931851" "3210032" "4065199" "4591203" "4907836" "4918261" "5160812" "5368802" "5445436" "5460530" "5523532" "5535511" "5573299" "5615851").PN.	US-PGPUB; USPAT; USOCR
41	BRS	1	("5932846").URPN.	USPAT
42	BRS	51	(heat stake) and S27 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	497390	((light emit\$6 diodes) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	147	S43 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	3403	(heat stak\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	57	S45 with lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	123	S45 same lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	254	S45 same S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	83	S45 with S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	44	S45 with lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	123	S46 or S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	254	S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	64	S51 and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	34	S52 and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
55	BRS	56	S51 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	114	S52 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	56	S55 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	31	S56 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	82	S57 or S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	IS&R	3	((("20030095398A1") or ("20030043590A1") or ("20010009510A1") or ("6,502,956B1") or ("5,871,784") or ("5,434,750") or ("3,969,721"))).PN.	USPAT
61	BRS	0	20030095398A1 20030043590A1 20010009510A1	US-PGPUB
62	BRS	0	"20030095398".ap. 20030043590A1 20010009510A1	US-PGPUB
63	BRS	0	"20030095398".ap.	US-PGPUB
64	BRS	0	"0095398".ap.	US-PGPUB
65	BRS	19	(heat stakes) with (screws or bolts)	US-PGPUB
66	BRS	54	heat stak\$4 with tab\$4	US-PGPUB
67	BRS	713	(heat stake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	38	"361"/\$.ccls. and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	7498	362/540,544,545,800,227,240,249,308-310.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	922	248/317.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	8419	S69 OR S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	497390	(light emit\$6 diodes) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	243097	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	3403	heat stak\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	7and S72 and S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	16	S71 and S72 and S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	15	S69 and S72 and S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	16	S76 or S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	254161	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	17665	(heat stake) or stake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	668016	lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

82	BRS	94	S79 and S81 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	----	---------------------	--

	Type	Hits	Search Text	DBs
83	BRS	523199	(light emit\$6 diodes) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	68	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	740	automotive lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	6968	automob\$6 with lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	7538	S85 or S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	3	S87 and S79 and S80 and S81 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	19	S87 and S80 and S81 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	IS&R	16	((("4271408") or ("5418384") or ("4628,422") or ("4,733335") or ("4935665") or ("4975,814") or ("5,903,768") or ("3,539801") or ("4,254453") or ("4,336,580") or ("4,628,422") or ("4,733,335") or ("5,093,768") or ("5,226,723") or ("5,418,384") or ("5,580,156") or ("5,660,461") or ("6,106,137") or ("6,578,994") or ("6,641,284"))).PN.	USPAT
91	BRS	1	"657834".ap.	US-PGPUB
92	IS&R	1	("6641284").PN.	USPAT
93	BRS	2	"732513".ap.	US-PGPUB
94	IS&R	1	("4935665").PN.	USPAT
95	BRS	6	"696224".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	BRS	523750	(light emit\$6 diodes) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	254373	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	17673	(heat stake) or stake or (plastic heat stake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	513436	lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	22997	S99 and lens and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	100	S99 and lens and S96 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	73	S101 and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
103	BRS	27	S101 not S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
104	IS&R	1	("6964499").PN.	USPAT
105	BRS	4	("5632551" "6367949" "6641284" "6827468").PN.	US-PGPUB; USPAT; USOCR
106	BRS	0	("6964499").URPN.	USPAT
107	BRS	142	348/317.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	BRS	0	S107 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
109	BRS	1385	248/317.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	BRS	3	S109 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
111	BRS	0	S109 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
112	BRS	47	S109 and lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
113	BRS	3803	362/249,310,311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
114	BRS	2233	S113 and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	563	S114 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	92	S114 and S96 and lens and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	4	S114 and (heat stakes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	288	S114 and S96 and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	557	362/545.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	346	362/545.ccls. and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	106	362/545.ccls. and lens and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	97	S121 and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	0	((vehic\$5 lamp) and (light emitting diod\$3) and (printed circuit board) and lens and (heat stake) and housing).clm.	US-PGPUB
124	BRS	8045	362/540,544,545,800,227,236,240,241,249,308-310.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	6148	S124 and @ad < "20031029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	523750	(light emit\$6 diodes) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	254373	(print\$4 circuit board) or "PCB"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	26624	S126 and S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
129	BRS	6633	S126 and S127 and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
130	BRS	17673	(heat stake) or stake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	68	S126 and S127 and lens and S130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB